



## AccMonitor Accessibility Report

Verified File Name: <http://fl511.datasys.swri.edu/>

Date and Time: 8/28/2007 5:57:56 PM

Passed Automated Verification

### AccMonitor Web Test Demo

The level of detail setting for the report is to show the locations of elements that Failed accessibility checks, that generated Warnings for accessibility and that are noted for visual inspection.

#### Verification Checklist

Checkpoints	Passed		
	Yes	No	Other
<b>508 Standards, Section 1194.22</b>			
<b>A. 508 Standards, Section 1194.22, (a)</b> A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Yes		
<b>B. 508 Standards, Section 1194.22, (b)</b> Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.			N/A
<b>C. 508 Standards, Section 1194.22, (c)</b> Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.			
<b>D. 508 Standards, Section 1194.22, (d)</b> Documents shall be organized so they are readable without requiring an associated style sheet.  <ul style="list-style-type: none"> <li>o Note: Document uses external stylesheets, inline style information, or header style information.</li> </ul>			
<b>E. 508 Standards, Section 1194.22, (e)</b> Redundant text links shall be provided for each active region of a server-side image map.			N/A
<b>F. 508 Standards, Section 1194.22, (f)</b> Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.			N/A
<b>G. 508 Standards, Section 1194.22, (g)</b> Row and column headers shall be identified for data tables.			N/A
<b>H. 508 Standards, Section 1194.22, (h)</b> Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.			N/A
<b>I. 508 Standards, Section 1194.22, (i)</b> Frames shall be titled with text that facilitates frame identification and navigation.			N/A
<b>J. 508 Standards, Section 1194.22, (j)</b> Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.  <ul style="list-style-type: none"> <li>o Note: SCRIPT element(s) found in document body, a visual verification must be done to ensure the script does not cause the screen to flicker.</li> </ul>			
<b>K. 508 Standards, Section 1194.22, (k)</b> A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.			
(k) Option A - Check for the string 'Text Version' within the document.			N/V
(k) Option B - Check for a Global Text Version Link within the document.			N/V
(k) Option C - Check for an Accessibility Policy Link within the document.			N/V
<b>L. 508 Standards, Section 1194.22, (l)</b> When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by assistive technology.  <ul style="list-style-type: none"> <li>o Rule: 6.3.3 - Locate elements that use HTML event handlers.</li> </ul>	Yes		

<ul style="list-style-type: none"> <li>○ Note: BODY Element found at Line: 257, Column: 1 contains the 'onload' event handler.</li> <li>○ Note: BODY Element found at Line: 257, Column: 1 contains the 'onunload' event handler.</li> <li>○ Note: IMG Element found at Line: 284, Column: 53 contains the 'onclick' event handler.</li> <li>○ Note: IMG Element found at Line: 284, Column: 53 contains the 'onkeypress' event handler.</li> <li>○ Note: INPUT Element found at Line: 290, Column: 17 contains the 'onclick' event handler.</li> <li>○ Note: INPUT Element found at Line: 290, Column: 17 contains the 'onkeypress' event handler.</li> <li>○ Note: INPUT Element found at Line: 295, Column: 17 contains the 'onclick' event handler.</li> <li>○ Note: INPUT Element found at Line: 295, Column: 17 contains the 'onkeypress' event handler.</li> <li>○ Note: INPUT Element found at Line: 302, Column: 17 contains the 'onclick' event handler.</li> <li>○ Note: INPUT Element found at Line: 302, Column: 17 contains the 'onkeypress' event handler.</li> <li>○ Note: INPUT Element found at Line: 307, Column: 17 contains the 'onclick' event handler.</li> <li>○ Note: INPUT Element found at Line: 307, Column: 17 contains the 'onkeypress' event handler.</li> <li>○ Note: INPUT Element found at Line: 314, Column: 17 contains the 'onclick' event handler.</li> <li>○ Note: INPUT Element found at Line: 314, Column: 17 contains the 'onkeypress' event handler.</li> <li>○ Note: INPUT Element found at Line: 319, Column: 17 contains the 'onclick' event handler.</li> <li>○ Note: INPUT Element found at Line: 319, Column: 17 contains the 'onkeypress' event handler.</li> <li>○ Note: DIV Element found at Line: 325, Column: 14 contains the 'onclick' event handler.</li> <li>○ Note: DIV Element found at Line: 325, Column: 14 contains the 'onkeypress' event handler.</li> <li>○ Note: DIV Element found at Line: 326, Column: 14 contains the 'onclick' event handler.</li> <li>○ Note: DIV Element found at Line: 326, Column: 14 contains the 'onkeypress' event handler.</li> <li>○ Note: IMG Element found at Line: 334, Column: 51 contains the 'onclick' event handler.</li> <li>○ Note: IMG Element found at Line: 334, Column: 51 contains the 'onkeypress' event handler.</li> <li>○ Note: IMG Element found at Line: 359, Column: 34 contains the 'onclick' event handler.</li> <li>○ Note: IMG Element found at Line: 359, Column: 34 contains the 'onkeypress' event handler.</li> <li>○ Note: IMG Element found at Line: 364, Column: 36 contains the 'onclick' event handler.</li> <li>○ Note: IMG Element found at Line: 364, Column: 36 contains the 'onkeypress' event handler.</li> <li>○ Note: SELECT Element found at Line: 382, Column: 11 contains the 'onchange' event handler.</li> <li>○ Note: INPUT Element found at Line: 388, Column: 41 contains the 'onkeypress' event handler.</li> <li>○ Note: INPUT Element found at Line: 389, Column: 9 contains the 'onclick' event handler.</li> <li>○ Note: INPUT Element found at Line: 389, Column: 9 contains the 'onkeypress' event handler.</li> </ul>			
<p><b>M. 508 Standards, Section 1194.22, (m)</b> When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).</p> <ul style="list-style-type: none"> <li>○ Rule: 6.3.8 - All pages that have links to files that require a special reader or plug-in are required to contain the specified text indicating a link to the reader or plug-in.</li> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul>	Yes		
<p><b>N. 508 Standards, Section 1194.22, (n)</b> When electronic forms are designed to be</p>	Yes		

<p>completed on-line, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.</p>			
<p><b>O. 508 Standards, Section 1194.22, (o)</b> A method shall be provided that permits users to skip repetitive navigation links.</p> <ul style="list-style-type: none"> <li>o Rule: (o).1 - All pages are required to contain a bookmark link to skip navigation that has the specified text in either the link text or the 'title' attribute value.</li> <li>Skip Navigation Text:             <ul style="list-style-type: none"> <li>o Note: This rule has not been selected to be verified for this checkpoint.</li> </ul> </li> </ul>			
<p><b>P. 508 Standards, Section 1194.22, (p)</b> When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.</p>			

*Checkpoint Result Legend: **Yes** = Passed Automated Verification, **No** = Failed Automated Verification, **Warning** = Failed Automated Verification, however, configured not to cause page to fail (Priority 2 or 3 only), **N/V** = Not selected for verification, **N/A** = No related elements were found in document (Visual only), **No Value** = Visual Checkpoint*

---

Report generated by HiSoftware® AccMonitor Server  
 AccMonitor is a trademark of [Hiawatha Island Software Inc. \(www.hisoftware.com\)](http://www.hisoftware.com)

[Top](#)



## AccMonitor Accessibility Report

Verified File Name: <http://fl511.datasys.swri.edu/TravelTimes.html>

Date and Time: 8/28/2007 6:03:03 PM

Passed Automated Verification

### AccMonitor Web Test Demo

The level of detail setting for the report is to show the locations of elements that Failed accessibility checks, that generated Warnings for accessibility and that are noted for visual inspection.

#### Verification Checklist

Checkpoints	Passed		
	Yes	No	Other
<b>508 Standards, Section 1194.22</b>			
<b>A. 508 Standards, Section 1194.22, (a)</b> A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Yes		
<b>B. 508 Standards, Section 1194.22, (b)</b> Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.			N/A
<b>C. 508 Standards, Section 1194.22, (c)</b> Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.			
<b>D. 508 Standards, Section 1194.22, (d)</b> Documents shall be organized so they are readable without requiring an associated style sheet.  <ul style="list-style-type: none"> <li>o Note: Document uses external stylesheets, inline style information, or header style information.</li> </ul>			
<b>E. 508 Standards, Section 1194.22, (e)</b> Redundant text links shall be provided for each active region of a server-side image map.			N/A
<b>F. 508 Standards, Section 1194.22, (f)</b> Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.			N/A
<b>G. 508 Standards, Section 1194.22, (g)</b> Row and column headers shall be identified for data tables.			N/A
<b>H. 508 Standards, Section 1194.22, (h)</b> Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.			N/A
<b>I. 508 Standards, Section 1194.22, (i)</b> Frames shall be titled with text that facilitates frame identification and navigation.			N/A
<b>J. 508 Standards, Section 1194.22, (j)</b> Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.  <ul style="list-style-type: none"> <li>o Note: SCRIPT element(s) found in document body, a visual verification must be done to ensure the script does not cause the screen to flicker.</li> </ul>			
<b>K. 508 Standards, Section 1194.22, (k)</b> A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.			
(k) Option A - Check for the string 'Text Version' within the document.			N/V
(k) Option B - Check for a Global Text Version Link within the document.			N/V
(k) Option C - Check for an Accessibility Policy Link within the document.			N/V
<b>L. 508 Standards, Section 1194.22, (l)</b> When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by assistive technology.  <ul style="list-style-type: none"> <li>o Rule: 6.3.3 - Locate elements that use HTML event handlers.</li> </ul>	Yes		

<ul style="list-style-type: none"> <li>○ Note: BODY Element found at Line: 105, Column: 1 contains the 'onload' event handler.</li> </ul>			
<p><b>M. 508 Standards, Section 1194.22, (m)</b> When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).</p> <ul style="list-style-type: none"> <li>○ Rule: 6.3.8 - All pages that have links to files that require a special reader or plug-in are required to contain the specified text indicating a link to the reader or plug-in.</li> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul>	Yes		
<p><b>N. 508 Standards, Section 1194.22, (n)</b> When electronic forms are designed to be completed on-line, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.</p>			N/A
<p><b>O. 508 Standards, Section 1194.22, (o)</b> A method shall be provided that permits users to skip repetitive navigation links.</p> <ul style="list-style-type: none"> <li>○ Rule: (o).1 - All pages are required to contain a bookmark link to skip navigation that has the specified text in either the link text or the 'title' attribute value.</li> <li>Skip Navigation Text:</li> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul>			
<p><b>P. 508 Standards, Section 1194.22, (p)</b> When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.</p>			

Checkpoint Result Legend: **Yes** = Passed Automated Verification, **No** = Failed Automated Verification, **Warning** = Failed Automated Verification, however, configured not to cause page to fail (Priority 2 or 3 only), **N/V** = Not selected for verification, **N/A** = No related elements were found in document (Visual only), **No Value** = Visual Checkpoint





## AccMonitor Accessibility Report

Verified File Name: <http://fl511.datasys.swri.edu/Links.html>

Date and Time: 8/28/2007 6:06:07 PM

Passed Automated Verification

### AccMonitor Web Test Demo

The level of detail setting for the report is to show the locations of elements that Failed accessibility checks, that generated Warnings for accessibility and that are noted for visual inspection.

#### Verification Checklist

Checkpoints	Passed		
	Yes	No	Other
<b>508 Standards, Section 1194.22</b>			
<b>A. 508 Standards, Section 1194.22, (a)</b> A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Yes		
<b>B. 508 Standards, Section 1194.22, (b)</b> Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.			N/A
<b>C. 508 Standards, Section 1194.22, (c)</b> Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.			
<b>D. 508 Standards, Section 1194.22, (d)</b> Documents shall be organized so they are readable without requiring an associated style sheet.  <ul style="list-style-type: none"> <li>o Note: Document uses external stylesheets, inline style information, or header style information.</li> </ul>			
<b>E. 508 Standards, Section 1194.22, (e)</b> Redundant text links shall be provided for each active region of a server-side image map.			N/A
<b>F. 508 Standards, Section 1194.22, (f)</b> Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.			N/A
<b>G. 508 Standards, Section 1194.22, (g)</b> Row and column headers shall be identified for data tables.			N/A
<b>H. 508 Standards, Section 1194.22, (h)</b> Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.			N/A
<b>I. 508 Standards, Section 1194.22, (i)</b> Frames shall be titled with text that facilitates frame identification and navigation.			N/A
<b>J. 508 Standards, Section 1194.22, (j)</b> Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.  <ul style="list-style-type: none"> <li>o Note: SCRIPT element(s) found in document body, a visual verification must be done to ensure the script does not cause the screen to flicker.</li> </ul>			
<b>K. 508 Standards, Section 1194.22, (k)</b> A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.			
(k) Option A - Check for the string 'Text Version' within the document.			N/V
(k) Option B - Check for a Global Text Version Link within the document.			N/V
(k) Option C - Check for an Accessibility Policy Link within the document.			N/V
<b>L. 508 Standards, Section 1194.22, (l)</b> When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by assistive technology.  <ul style="list-style-type: none"> <li>o Rule: 6.3.3 - Locate elements that use HTML event handlers.</li> </ul>	Yes		

<ul style="list-style-type: none"> <li>○ Note: BODY Element found at Line: 94, Column: 1 contains the 'onload' event handler.</li> </ul>			
<p><b>M. 508 Standards, Section 1194.22, (m)</b> When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).</p> <ul style="list-style-type: none"> <li>○ Rule: 6.3.8 - All pages that have links to files that require a special reader or plug-in are required to contain the specified text indicating a link to the reader or plug-in.</li> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul>	Yes		
<p><b>N. 508 Standards, Section 1194.22, (n)</b> When electronic forms are designed to be completed on-line, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.</p>			N/A
<p><b>O. 508 Standards, Section 1194.22, (o)</b> A method shall be provided that permits users to skip repetitive navigation links.</p> <ul style="list-style-type: none"> <li>○ Rule: (o).1 - All pages are required to contain a bookmark link to skip navigation that has the specified text in either the link text or the 'title' attribute value.</li> <li>Skip Navigation Text:</li> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul>			
<p><b>P. 508 Standards, Section 1194.22, (p)</b> When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.</p>			

Checkpoint Result Legend: **Yes** = Passed Automated Verification, **No** = Failed Automated Verification, **Warning** = Failed Automated Verification, however, configured not to cause page to fail (Priority 2 or 3 only), **N/V** = Not selected for verification, **N/A** = No related elements were found in document (Visual only), **No Value** = Visual Checkpoint



## AccMonitor Accessibility Report

Verified File Name: <http://fl511.datasys.swri.edu/Help.html>

Date and Time: 8/28/2007 6:07:40 PM

Passed Automated Verification

### AccMonitor Web Test Demo

The level of detail setting for the report is to show the locations of elements that Failed accessibility checks, that generated Warnings for accessibility and that are noted for visual inspection.

#### Verification Checklist

Checkpoints	Passed		
	Yes	No	Other
<b>508 Standards, Section 1194.22</b>			
<b>A. 508 Standards, Section 1194.22, (a)</b> A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Yes		
<b>B. 508 Standards, Section 1194.22, (b)</b> Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.			N/A
<b>C. 508 Standards, Section 1194.22, (c)</b> Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.			
<b>D. 508 Standards, Section 1194.22, (d)</b> Documents shall be organized so they are readable without requiring an associated style sheet.  o Note: Document uses external stylesheets, inline style information, or header style information.			
<b>E. 508 Standards, Section 1194.22, (e)</b> Redundant text links shall be provided for each active region of a server-side image map.			N/A
<b>F. 508 Standards, Section 1194.22, (f)</b> Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.			N/A
<b>G. 508 Standards, Section 1194.22, (g)</b> Row and column headers shall be identified for data tables.			N/A
<b>H. 508 Standards, Section 1194.22, (h)</b> Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.			N/A
<b>I. 508 Standards, Section 1194.22, (i)</b> Frames shall be titled with text that facilitates frame identification and navigation.			N/A
<b>J. 508 Standards, Section 1194.22, (j)</b> Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Yes		
<b>K. 508 Standards, Section 1194.22, (k)</b> A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.			
(k) Option A - Check for the string 'Text Version' within the document.			N/V
(k) Option B - Check for a Global Text Version Link within the document.			N/V
(k) Option C - Check for an Accessibility Policy Link within the document.			N/V
<b>L. 508 Standards, Section 1194.22, (l)</b> When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by assistive technology.	Yes		
<b>M. 508 Standards, Section 1194.22, (m)</b> When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).	Yes		

<ul style="list-style-type: none"> <li>○ Rule: 6.3.8 - All pages that have links to files that require a special reader or plug-in are required to contain the specified text indicating a link to the reader or plug-in.</li> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul>			
<p><b>N. 508 Standards, Section 1194.22, (n)</b> When electronic forms are designed to be completed on-line, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.</p>			N/A
<p><b>O. 508 Standards, Section 1194.22, (o)</b> A method shall be provided that permits users to skip repetitive navigation links.</p> <ul style="list-style-type: none"> <li>○ Rule: (o).1 - All pages are required to contain a bookmark link to skip navigation that has the specified text in either the link text or the 'title' attribute value.</li> <li>Skip Navigation Text:</li> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul>			
<p><b>P. 508 Standards, Section 1194.22, (p)</b> When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.</p>			

*Checkpoint Result Legend: **Yes** = Passed Automated Verification, **No** = Failed Automated Verification, **Warning** = Failed Automated Verification, however, configured not to cause page to fail (Priority 2 or 3 only), **N/V** = Not selected for verification, **N/A** = No related elements were found in document (Visual only), **No Value** = Visual Checkpoint*

---

Report generated by HiSoftware® AccMonitor Server  
 AccMonitor is a trademark of [Hiawatha Island Software Inc. \(www.hisoftware.com\)](http://www.hisoftware.com)

[Top](#)



## AccMonitor Accessibility Report

Verified File Name: <http://fl511.datasys.swri.edu/DMS.html>

Date and Time: 8/28/2007 6:00:45 PM

Passed Automated Verification

### AccMonitor Web Test Demo

The level of detail setting for the report is to show the locations of elements that Failed accessibility checks, that generated Warnings for accessibility and that are noted for visual inspection.

#### Verification Checklist

Checkpoints	Passed		
	Yes	No	Other
<b>508 Standards, Section 1194.22</b>			
<b>A. 508 Standards, Section 1194.22, (a)</b> A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Yes		
<b>B. 508 Standards, Section 1194.22, (b)</b> Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.			N/A
<b>C. 508 Standards, Section 1194.22, (c)</b> Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.			
<b>D. 508 Standards, Section 1194.22, (d)</b> Documents shall be organized so they are readable without requiring an associated style sheet.  <ul style="list-style-type: none"> <li>o Note: Document uses external stylesheets, inline style information, or header style information.</li> </ul>			
<b>E. 508 Standards, Section 1194.22, (e)</b> Redundant text links shall be provided for each active region of a server-side image map.			N/A
<b>F. 508 Standards, Section 1194.22, (f)</b> Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.			N/A
<b>G. 508 Standards, Section 1194.22, (g)</b> Row and column headers shall be identified for data tables.			N/A
<b>H. 508 Standards, Section 1194.22, (h)</b> Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.			N/A
<b>I. 508 Standards, Section 1194.22, (i)</b> Frames shall be titled with text that facilitates frame identification and navigation.			N/A
<b>J. 508 Standards, Section 1194.22, (j)</b> Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.  <ul style="list-style-type: none"> <li>o Note: SCRIPT element(s) found in document body, a visual verification must be done to ensure the script does not cause the screen to flicker.</li> </ul>			
<b>K. 508 Standards, Section 1194.22, (k)</b> A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.			
(k) Option A - Check for the string 'Text Version' within the document.			N/V
(k) Option B - Check for a Global Text Version Link within the document.			N/V
(k) Option C - Check for an Accessibility Policy Link within the document.			N/V
<b>L. 508 Standards, Section 1194.22, (l)</b> When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by assistive technology.  <ul style="list-style-type: none"> <li>o Rule: 6.3.3 - Locate elements that use HTML event handlers.</li> </ul>	Yes		

<ul style="list-style-type: none"> <li>○ Note: BODY Element found at Line: 107, Column: 1 contains the 'onload' event handler.</li> </ul>			
<p><b>M. 508 Standards, Section 1194.22, (m)</b> When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).</p> <ul style="list-style-type: none"> <li>○ Rule: 6.3.8 - All pages that have links to files that require a special reader or plug-in are required to contain the specified text indicating a link to the reader or plug-in.</li> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul>	Yes		
<p><b>N. 508 Standards, Section 1194.22, (n)</b> When electronic forms are designed to be completed on-line, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.</p>			N/A
<p><b>O. 508 Standards, Section 1194.22, (o)</b> A method shall be provided that permits users to skip repetitive navigation links.</p> <ul style="list-style-type: none"> <li>○ Rule: (o).1 - All pages are required to contain a bookmark link to skip navigation that has the specified text in either the link text or the 'title' attribute value.</li> <li>Skip Navigation Text:</li> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul>			
<p><b>P. 508 Standards, Section 1194.22, (p)</b> When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.</p>			

Checkpoint Result Legend: **Yes** = Passed Automated Verification, **No** = Failed Automated Verification, **Warning** = Failed Automated Verification, however, configured not to cause page to fail (Priority 2 or 3 only), **N/V** = Not selected for verification, **N/A** = No related elements were found in document (Visual only), **No Value** = Visual Checkpoint





## AccMonitor Accessibility Report

Verified File Name: <http://fl511.datasys.swri.edu/Cameras.html>

Date and Time: 8/28/2007 6:01:30 PM

Passed Automated Verification

### AccMonitor Web Test Demo

The level of detail setting for the report is to show the locations of elements that Failed accessibility checks, that generated Warnings for accessibility and that are noted for visual inspection.

#### Verification Checklist

Checkpoints	Passed		
	Yes	No	Other
<b>508 Standards, Section 1194.22</b>			
<b>A. 508 Standards, Section 1194.22, (a)</b> A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Yes		
<b>B. 508 Standards, Section 1194.22, (b)</b> Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.			N/A
<b>C. 508 Standards, Section 1194.22, (c)</b> Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.			
<b>D. 508 Standards, Section 1194.22, (d)</b> Documents shall be organized so they are readable without requiring an associated style sheet.  <ul style="list-style-type: none"> <li>o Note: Document uses external stylesheets, inline style information, or header style information.</li> </ul>			
<b>E. 508 Standards, Section 1194.22, (e)</b> Redundant text links shall be provided for each active region of a server-side image map.			N/A
<b>F. 508 Standards, Section 1194.22, (f)</b> Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.			N/A
<b>G. 508 Standards, Section 1194.22, (g)</b> Row and column headers shall be identified for data tables.			N/A
<b>H. 508 Standards, Section 1194.22, (h)</b> Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.			N/A
<b>I. 508 Standards, Section 1194.22, (i)</b> Frames shall be titled with text that facilitates frame identification and navigation.			N/A
<b>J. 508 Standards, Section 1194.22, (j)</b> Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.  <ul style="list-style-type: none"> <li>o Note: SCRIPT element(s) found in document body, a visual verification must be done to ensure the script does not cause the screen to flicker.</li> </ul>			
<b>K. 508 Standards, Section 1194.22, (k)</b> A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.			
(k) Option A - Check for the string 'Text Version' within the document.			N/V
(k) Option B - Check for a Global Text Version Link within the document.			N/V
(k) Option C - Check for an Accessibility Policy Link within the document.			N/V
<b>L. 508 Standards, Section 1194.22, (l)</b> When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by assistive technology.  <ul style="list-style-type: none"> <li>o Rule: 6.3.3 - Locate elements that use HTML event handlers.</li> </ul>	Yes		

<ul style="list-style-type: none"> <li>○ Note: BODY Element found at Line: 108, Column: 1 contains the 'onload' event handler.</li> <li>○ Note: DIV Element found at Line: 132, Column: 4 contains the 'onclick' event handler.</li> <li>○ Note: DIV Element found at Line: 132, Column: 4 contains the 'onkeypress' event handler.</li> <li>○ Note: SELECT Element found at Line: 140, Column: 10 contains the 'onchange' event handler.</li> </ul>			
<p><b>M. 508 Standards, Section 1194.22, (m)</b> When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).</p> <ul style="list-style-type: none"> <li>○ Rule: 6.3.8 - All pages that have links to files that require a special reader or plug-in are required to contain the specified text indicating a link to the reader or plug-in.</li> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul>	Yes		
<p><b>N. 508 Standards, Section 1194.22, (n)</b> When electronic forms are designed to be completed on-line, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.</p> <ul style="list-style-type: none"> <li>○ Rule: (n).1 - Ensure form controls are accessible for use with assistive technology.</li> <li>○ Note: 1 SELECT Element in FORM Element at Line: 138, Column: 3 does not use the 'tabindex' attribute. Please be sure that the 'tabindex' attribute is used on form controls when the logical tab order is not easily identified.</li> </ul>	Yes		
<p><b>O. 508 Standards, Section 1194.22, (o)</b> A method shall be provided that permits users to skip repetitive navigation links.</p> <ul style="list-style-type: none"> <li>○ Rule: (o).1 - All pages are required to contain a bookmark link to skip navigation that has the specified text in either the link text or the 'title' attribute value.</li> <li>Skip Navigation Text:</li> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul>			
<p><b>P. 508 Standards, Section 1194.22, (p)</b> When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.</p>			

Checkpoint Result Legend: **Yes** = Passed Automated Verification, **No** = Failed Automated Verification, **Warning** = Failed Automated Verification, however, configured not to cause page to fail (Priority 2 or 3 only), **N/V** = Not selected for verification, **N/A** = No related elements were found in document (Visual only), **No Value** = Visual Checkpoint



## AccMonitor Accessibility Report

Verified File Name: <http://fl511.datasys.swri.edu/BrowserSettingsHelp.html>

Date and Time: 8/29/2007 4:43:50 PM

Passed Automated Verification

### AccMonitor Web Test Demo

The level of detail setting for the report is to show the locations of elements that Failed accessibility checks, that generated Warnings for accessibility and that are noted for visual inspection.

#### Verification Checklist

Checkpoints	Passed		
	Yes	No	Other
<b>508 Standards, Section 1194.22</b>			
<b>A. 508 Standards, Section 1194.22, (a)</b> A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Yes		
<b>B. 508 Standards, Section 1194.22, (b)</b> Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.			N/A
<b>C. 508 Standards, Section 1194.22, (c)</b> Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.			
<b>D. 508 Standards, Section 1194.22, (d)</b> Documents shall be organized so they are readable without requiring an associated style sheet.  o Note: Document uses external stylesheets, inline style information, or header style information.			
<b>E. 508 Standards, Section 1194.22, (e)</b> Redundant text links shall be provided for each active region of a server-side image map.			N/A
<b>F. 508 Standards, Section 1194.22, (f)</b> Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.			N/A
<b>G. 508 Standards, Section 1194.22, (g)</b> Row and column headers shall be identified for data tables.			N/A
<b>H. 508 Standards, Section 1194.22, (h)</b> Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.			N/A
<b>I. 508 Standards, Section 1194.22, (i)</b> Frames shall be titled with text that facilitates frame identification and navigation.			N/A
<b>J. 508 Standards, Section 1194.22, (j)</b> Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Yes		
<b>K. 508 Standards, Section 1194.22, (k)</b> A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.			
(k) Option A - Check for the string 'Text Version' within the document.			N/V
(k) Option B - Check for a Global Text Version Link within the document.			N/V
(k) Option C - Check for an Accessibility Policy Link within the document.			N/V
<b>L. 508 Standards, Section 1194.22, (l)</b> When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by assistive technology.	Yes		
<b>M. 508 Standards, Section 1194.22, (m)</b> When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).	Yes		

<ul style="list-style-type: none"> <li>○ Rule: 6.3.8 - All pages that have links to files that require a special reader or plug-in are required to contain the specified text indicating a link to the reader or plug-in.</li> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul>			
<p><b>N. 508 Standards, Section 1194.22, (n)</b> When electronic forms are designed to be completed on-line, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.</p>			N/A
<p><b>O. 508 Standards, Section 1194.22, (o)</b> A method shall be provided that permits users to skip repetitive navigation links.</p> <ul style="list-style-type: none"> <li>○ Rule: (o).1 - All pages are required to contain a bookmark link to skip navigation that has the specified text in either the link text or the 'title' attribute value.</li> <li>Skip Navigation Text:</li> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul>			
<p><b>P. 508 Standards, Section 1194.22, (p)</b> When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.</p>			

*Checkpoint Result Legend: **Yes** = Passed Automated Verification, **No** = Failed Automated Verification, **Warning** = Failed Automated Verification, however, configured not to cause page to fail (Priority 2 or 3 only), **N/V** = Not selected for verification, **N/A** = No related elements were found in document (Visual only), **No Value** = Visual Checkpoint*

---

Report generated by HiSoftware® AccMonitor Server  
 AccMonitor is a trademark of [Hiawatha Island Software Inc. \(www.hisoftware.com\)](http://www.hisoftware.com)

[Top](#)



## AccMonitor Accessibility Report

Verified File Name: <http://fl511.datasys.swri.edu/BrowserHelp.html>

Date and Time: 8/28/2007 6:08:58 PM

Passed Automated Verification

### AccMonitor Web Test Demo

The level of detail setting for the report is to show the locations of elements that Failed accessibility checks, that generated Warnings for accessibility and that are noted for visual inspection.

#### Verification Checklist

Checkpoints	Passed		
	Yes	No	Other
<b>508 Standards, Section 1194.22</b>			
<b>A. 508 Standards, Section 1194.22, (a)</b> A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Yes		
<b>B. 508 Standards, Section 1194.22, (b)</b> Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.			N/A
<b>C. 508 Standards, Section 1194.22, (c)</b> Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.			
<b>D. 508 Standards, Section 1194.22, (d)</b> Documents shall be organized so they are readable without requiring an associated style sheet.  <ul style="list-style-type: none"> <li>o Note: Document uses external stylesheets, inline style information, or header style information.</li> </ul>			
<b>E. 508 Standards, Section 1194.22, (e)</b> Redundant text links shall be provided for each active region of a server-side image map.			N/A
<b>F. 508 Standards, Section 1194.22, (f)</b> Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.			N/A
<b>G. 508 Standards, Section 1194.22, (g)</b> Row and column headers shall be identified for data tables.			N/A
<b>H. 508 Standards, Section 1194.22, (h)</b> Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.			N/A
<b>I. 508 Standards, Section 1194.22, (i)</b> Frames shall be titled with text that facilitates frame identification and navigation.			N/A
<b>J. 508 Standards, Section 1194.22, (j)</b> Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.  <ul style="list-style-type: none"> <li>o Note: SCRIPT element(s) found in document body, a visual verification must be done to ensure the script does not cause the screen to flicker.</li> </ul>			
<b>K. 508 Standards, Section 1194.22, (k)</b> A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.			
(k) Option A - Check for the string 'Text Version' within the document.			N/V
(k) Option B - Check for a Global Text Version Link within the document.			N/V
(k) Option C - Check for an Accessibility Policy Link within the document.			N/V
<b>L. 508 Standards, Section 1194.22, (l)</b> When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by assistive technology.	Yes		
<b>M. 508 Standards, Section 1194.22, (m)</b> When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the	Yes		



<p>page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).</p> <ul style="list-style-type: none"> <li>○ Rule: 6.3.8 - All pages that have links to files that require a special reader or plug-in are required to contain the specified text indicating a link to the reader or plug-in.</li> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul>			
<p><b>N. 508 Standards, Section 1194.22, (n)</b> When electronic forms are designed to be completed on-line, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.</p>			N/A
<p><b>O. 508 Standards, Section 1194.22, (o)</b> A method shall be provided that permits users to skip repetitive navigation links.</p> <ul style="list-style-type: none"> <li>○ Rule: (o).1 - All pages are required to contain a bookmark link to skip navigation that has the specified text in either the link text or the 'title' attribute value.</li> <li>Skip Navigation Text:</li> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul>			
<p><b>P. 508 Standards, Section 1194.22, (p)</b> When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.</p>			

*Checkpoint Result Legend: **Yes** = Passed Automated Verification, **No** = Failed Automated Verification, **Warning** = Failed Automated Verification, however, configured not to cause page to fail (Priority 2 or 3 only), **N/V** = Not selected for verification, **N/A** = No related elements were found in document (Visual only), **No Value** = Visual Checkpoint*

Report generated by HiSoftware® AccMonitor Server  
 AccMonitor is a trademark of [Hiawatha Island Software Inc. \(www.hisoftware.com\)](http://www.hisoftware.com)

[Top](#)



## AccMonitor Accessibility Report

Verified File Name: <http://fl511.datasys.swri.edu/511Help.html>

Date and Time: 8/28/2007 6:06:42 PM

Passed Automated Verification

### AccMonitor Web Test Demo

The level of detail setting for the report is to show the locations of elements that Failed accessibility checks, that generated Warnings for accessibility and that are noted for visual inspection.

#### Verification Checklist

Checkpoints	Passed		
	Yes	No	Other
<b>508 Standards, Section 1194.22</b>			
<b>A. 508 Standards, Section 1194.22, (a)</b> A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Yes		
<b>B. 508 Standards, Section 1194.22, (b)</b> Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.			N/A
<b>C. 508 Standards, Section 1194.22, (c)</b> Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.			
<b>D. 508 Standards, Section 1194.22, (d)</b> Documents shall be organized so they are readable without requiring an associated style sheet.  o Note: Document uses external stylesheets, inline style information, or header style information.			
<b>E. 508 Standards, Section 1194.22, (e)</b> Redundant text links shall be provided for each active region of a server-side image map.			N/A
<b>F. 508 Standards, Section 1194.22, (f)</b> Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.			N/A
<b>G. 508 Standards, Section 1194.22, (g)</b> Row and column headers shall be identified for data tables.			N/A
<b>H. 508 Standards, Section 1194.22, (h)</b> Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.			N/A
<b>I. 508 Standards, Section 1194.22, (i)</b> Frames shall be titled with text that facilitates frame identification and navigation.			N/A
<b>J. 508 Standards, Section 1194.22, (j)</b> Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Yes		
<b>K. 508 Standards, Section 1194.22, (k)</b> A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.			
(k) Option A - Check for the string 'Text Version' within the document.			N/V
(k) Option B - Check for a Global Text Version Link within the document.			N/V
(k) Option C - Check for an Accessibility Policy Link within the document.			N/V
<b>L. 508 Standards, Section 1194.22, (l)</b> When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by assistive technology.	Yes		
<b>M. 508 Standards, Section 1194.22, (m)</b> When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).	Yes		

<ul style="list-style-type: none"> <li>○ Rule: 6.3.8 - All pages that have links to files that require a special reader or plug-in are required to contain the specified text indicating a link to the reader or plug-in.</li> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul>			
<p><b>N. 508 Standards, Section 1194.22, (n)</b> When electronic forms are designed to be completed on-line, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.</p>			N/A
<p><b>O. 508 Standards, Section 1194.22, (o)</b> A method shall be provided that permits users to skip repetitive navigation links.</p> <ul style="list-style-type: none"> <li>○ Rule: (o).1 - All pages are required to contain a bookmark link to skip navigation that has the specified text in either the link text or the 'title' attribute value.</li> <li>Skip Navigation Text:</li> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul>			
<p><b>P. 508 Standards, Section 1194.22, (p)</b> When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.</p>			

*Checkpoint Result Legend: **Yes** = Passed Automated Verification, **No** = Failed Automated Verification, **Warning** = Failed Automated Verification, however, configured not to cause page to fail (Priority 2 or 3 only), **N/V** = Not selected for verification, **N/A** = No related elements were found in document (Visual only), **No Value** = Visual Checkpoint*

---

Report generated by HiSoftware® AccMonitor Server  
 AccMonitor is a trademark of [Hiawatha Island Software Inc. \(www.hisoftware.com\)](http://www.hisoftware.com)

[Top](#)